UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/593,697	09/09/2008	Silvia Ghidini	10880.0409	3101
	7590 10/13/201 ENDERSON, FARAE	0 SOW, GARRETT & DUNNER	EXAMINER	
LLP			PINKNEY, DAWAYNE	
	901 NEW YORK AVENUE, NW WASHINGTON, DC 20001-4413		ART UNIT	PAPER NUMBER
			2873	
			MAIL DATE	DELIVERY MODE
			10/13/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/593,697	GHIDINI ET AL.		
Office Action Summary	Examiner	Art Unit		
	DAWAYNE A. PINKNEY	2873		
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	lely filed the mailing date of this communication. (35 U.S.C. § 133).		
Status				
1) ☐ Responsive to communication(s) filed on <u>09 S</u> 2a) ☐ This action is FINAL . 2b) ☐ This 3) ☐ Since this application is in condition for allowa closed in accordance with the practice under <u>B</u>	action is non-final. nce except for formal matters, pro			
Disposition of Claims				
4) ☐ Claim(s) 39-76 is/are pending in the applicatio 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 39-46,58,60,61 and 63-72 is/are reject 7) ☐ Claim(s) 47-57,59,62 and 73-76 is/are objecte 8) ☐ Claim(s) are subject to restriction and/o Application Papers 9) ☐ The specification is objected to by the Examine 10) ☐ The drawing(s) filed on 20 September 2006 is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Examine 11) ☐ The oath or declaration is objected to by the Examine 11) ☐ The oath or declaration is objected to by the Examine 11) ☐ The oath or declaration is objected to by the Examine 11) ☐ The oath or declaration is objected to by the Examine 11 ☐ The oath or declaration is objected to by the Examine 11 ☐ The oath or declaration is objected to by the Examine 11 ☐ The oath or declaration is objected to by the Examine 11 ☐ The oath or declaration is objected to by the Examine 11 ☐ The oath or declaration is objected to by the Examine 11 ☐ The oath or declaration is objected to by the Examine 12 ☐ The oath or declaration is objected to by the Examine 13 ☐ The oath or declaration is objected to by the Examine 13 ☐ The oath or declaration is objected to by the Examine 14 ☐ The oath or declaration is objected to by the Examine 15 ☐ The oath or declaration is objected to by the Examine 15 ☐ The oath or declaration is objected to by the Examine 15 ☐ The oath or declaration is objected to by the Examine 15 ☐ The oath or declaration is objected to by the Examine 15 ☐ The oath or declaration is objected to by the Examine 15 ☐ The oath or declaration is objected to by the Examine 15 ☐ The oath or declaration is objected to by the Examine 15 ☐ The oath or declaration is objected to by the Examine 15 ☐ The oath or declaration is objected to by the Examine 15 ☐ The oath or declaration is objected to by the Examine 15 ☐ The oath or declaration is objected to b	wn from consideration. cted. d to. or election requirement. er. are: a) accepted or b) object drawing(s) be held in abeyance. See tion is required if the drawing(s) is object	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 09/20/2006 and 11/03/2008.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite		

Art Unit: 2873

DETAILED ACTION

Information Disclosure Statement

1. The information disclosure statement (IDS) submitted on 09/20/2006 and 11/03/2008 has been considered by the examiner.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 39-42, 45-46, and 63-65 are rejected under 35 U.S.C. 102(b) as being anticipated by Betty (US 2004/0008965).

Regarding **claims 39 and 63**, Betty discloses, a method for modulating the intensity of a light beam (Fig. 1) comprising the steps of:

- a) splitting the light beam (134) into a first (136a) and second light beam (136b);
- b) propagating said first (136a) and second light beam (136b) along a first (136a) and a second optical path (136b), respectively;
- c) combining (140) said first (136a) and second light beam (136b) into an output light beam (Paragraphs 0027 and 0031)after propagation along the first (136a) and second optical path (136b); and
- d) introducing through Franz-Keldysh effect (Paragraphs 0026, 0030, and 0047-0048) a relative phase shift between the two optical paths ((Paragraphs 0026, 0030, and 0047-0048)) so

Art Unit: 2873

as to obtain an intensity modulation of the output light beam (Paragraphs 0026, 0030, and 0047-0048);

the step of introducing through the Franz-Keldysh effect (Paragraphs 0026, 0030, and 0047-0048) being carried out by supplying a first modulation voltage superimposed to a first bias voltage to the first optical path (Paragraphs 0026, 0030, and 0047-0048) and a second modulation voltage superimposed to a second bias voltage to the second optical path (Paragraphs 0026, 0030, and 0047-0048).

Regarding **claims 40 and 64**, Betty discloses, the method and optical modulator according to claims 39 and 63, wherein in step a) the optical beam is split into two light beams of substantially the same optical power (Paragraphs 0027-0028, and 142).

Regarding **claim 41**, Betty discloses, the optical modulator according to claim 39, wherein the first (126a) and second waveguide arm (126b) are substantially of the same length (Paragraph 0032).

Regarding **claim 42**, Betty discloses, the optical modulator according to claim 39, wherein the group IV semiconductor material of each core region is selected from the group of Si and Ge and a combination thereof (Paragraph 0026).

Regarding **claim 45**, Betty discloses, the optical modulator according to claim 39, wherein the driving circuit is adapted to supply the first and second modulation voltage as electric signals having the same waveform (Paragraphs 0027 and 0029).

Regarding **claim 46**, Betty discloses, the optical modulator according to claim 45, wherein the driving circuit is adapted to supply the electric signals with inverted sign (Paragraph 0031).

Art Unit: 2873

Regarding **claim 65**, Betty discloses, the method according to claim 63, further comprising a step e) of supplying to at least one of the two optical paths a CW voltage for introducing a further prefixed relative phase shift between the two optical paths (Paragraph 0022).

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 43-44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Betty (US 2004/0008965) as applied to claim 39 above, in view of Chang et al. (US 5,309,532).

Betty remains as applied to claim 39 above.

Betty does not disclose a third electrode structure associated with one of the two waveguide arms, and the driving circuit is adapted to supply to the third electrode structure a CW voltage.

Chang teaches, from the same field of endeavor that in an optical modulator having an optical splitter, first and second waveguide arms, and first and second electrodes that it would be desirable to include a third electrode structure associated with one of the two waveguide arms (Col. 6, lines 4-15), and the driving circuit is adapted to supply to the third electrode structure a CW voltage (Col. 6, lines 4-15) for the purpose of providing an optical modulator with reduced costs (Col. 1, lines 20-22).

Art Unit: 2873

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include a third electrode structure associated with one of the two waveguide arms, and the driving circuit is adapted to supply to the third electrode structure a CW voltage as taught by the optical modulator of Chang in the optical modulator of Betty since Chang teaches it is known to include these features in an optical modulator for providing an optical modulator with reduced costs (Col. 1, lines 20-22).

6. Claims 58, and 60-61 are rejected under 35 U.S.C. 103(a) as being unpatentable over Betty (US 2004/0008965) as applied to claim 39 above, in view of Phoenix et al. (US 5,764,765).

Betty remains as applied to claim 39 above.

Betty does not disclose a transmitting station comprising an optical transmitter device, the optical transmitter device comprising an optical source for providing an optical light beam at a predetermined wavelength and an optical modulator, associated with the optical source to modulate the intensity of the optical light beam.

Phoenix teaches, from the same field of endeavor that in an optical modulator that it would be desirable to include in the optical modulator in a transmitting station (Figs. 9a-b) comprising an optical transmitter device (Fig. 9a), the optical transmitter device comprising an optical source (91) for providing an optical light beam at a predetermined wavelength (Col. 6, lines 31-50) and an optical modulator (Col. 7, lines 3-65), associated with the optical source to modulate the intensity of the optical light beam (Col. 6, lines 31-37, Col. 7, lines 1-63, and Figs. 9a-b) for the purpose of providing an effective transmitting station (Col. 1, lines 48-50).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include in the optical modulator a transmitting station comprising an optical transmitter device, the optical transmitter device comprising an optical source for providing an optical light beam at a predetermined wavelength and an optical modulator, associated with the optical source to modulate the intensity of the optical light beam as taught by the optical modulator of Phoenix in the optical modulator of Betty since Phoenix teaches it is known to include these features in an optical modulator for providing an effective transmitting station (Col. 1, lines 48-50).

Regarding **claims 60-61**, Betty in view of Phoenix discloses and teaches as set forth above, and Phoenix further teaches, an optical communication system (Figs. 9a-b) comprising a transmitting station (Fig. 9a) according to claim 58 (see rejection of claim 58 above), and an optical communication line having a first end coupled to the transmitting station (Col. 6, lines 31-37, Col. 7, lines 1-63, and Fig. 9a), and a receiving station coupled to a second end of the optical communication line (Col. 6, lines 31-37, Col. 7, lines 1-63, and Fig. 9b) for the purpose of providing an effective transmitting station (Col. 1, lines 48-50).

7. Claims 66-72 are rejected under 35 U.S.C. 103(a) as being unpatentable over Betty (US 2004/0008965) as applied to claim 63 above, in view of Yu (US 5,778,113; already of record).

Betty remains as applied to claim 63 above.

Betty does not disclose a relative phase shift of π or an integer odd multiple thereof is introduced for obtaining a 0 logic state and a relative phase shift of zero or an integer even

Art Unit: 2873

multiple of π is introduced for obtaining a 1 logic state, the first and second modulation voltage are electric signals having the same waveform, and the electric signals have an inverted sign.

Yu teaches, from the same field of endeavor that in a method for modulating the intensity of a light beam that it would be desirable to include a relative phase shift of π or an integer odd multiple thereof is introduced for obtaining a 0 logic state and a relative phase shift of zero or an integer even multiple of π is introduced for obtaining a 1 logic state (Col. 3, lines 10-22), the first and second modulation voltage are electric signals having the same waveform (Col. 6, lines 25-35), and the electric signals have an inverted sign (Col. 6, lines 45-59) for the purpose of providing a high quality method of modulating the intensity of a light beam (Col. 1, lines 10-11).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include a relative phase shift of π or an integer odd multiple thereof is introduced for obtaining a 0 logic state and a relative phase shift of zero or an integer even multiple of π is introduced for obtaining a 1 logic state, the first and second modulation voltage are electric signals having the same waveform, and the electric signals have an inverted sign as taught by the method for modulating the intensity of a light beam of Yu in the method of modulating the intensity of a light beam for providing a high quality method of modulating the intensity of a light beam (Col. 1, lines 10-11).

Regarding **claims 69-72**, Betty in view of Yu discloses and teaches as set forth above, and Betty further discloses, the first and second bias voltage and the first and second modulation voltage are such as to induce through the Franz-Keldysh effect an overall phase shift in the two optical paths which is substantially the same in absolute value but opposite in sign when passing

Art Unit: 2873

from the 1 logic state to the 0 logic state, and vice versa (Paragraphs 0030-0031), the first bias voltage is substantially the same as the second bias voltage (Paragraphs 0030-0031), the peak to peak amplitude of the first modulation voltage is substantially the same as the peak to peak amplitude of the second modulation voltage (Paragraphs 0030-0031), and the first bias voltage is different from the second bias voltage (Paragraphs 0026, 0030-0031, and 0047-0048).

Allowable Subject Matter

- 8. Claims 47-57, 59, 62, and 73-76 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 9. The following is a statement of reasons for the indication of allowable subject matter: none of the prior art either alone or in combination disclose or teach of the claimed combination of limitations to warrant a rejection under 35 USC 102 or 103. Specifically, in reference to dependent claim 47, none of the prior art either alone or in combination disclose or teach of the claimed optical modulator specifically including, as the distinguishing feature(s) in combination with the other limitations the claimed "a silicon substrate with said optical modulator integrated thereon."
- 10. Specifically, in reference to dependent claim 48, none of the prior art either alone or in combination disclose or teach of the claimed optical modulator specifically including, as the distinguishing feature(s) in combination with the other limitations the claimed "A unit comprising an optical modulator according to claim 39, and an electro-optical converter adapted to convert an input optical light beam into a corresponding electrical signal."

Application/Control Number: 10/593,697

Art Unit: 2873

signal."

11. Specifically, in reference to dependent claim 59, none of the prior art either alone or in

combination disclose or teach of the claimed transmitting station specifically including, as the

Page 9

distinguishing feature(s) in combination with the other limitations the claimed "optical

transmitter device further comprises an electro-optical converter adapted to convert an input

modulated light beam at a generic wavelength into a corresponding modulation electric signal,

the electro-optical converter being coupled to the optical modulator so as to supply said

corresponding modulation electric signal to the driving circuit of the optical modulator."

- 12. Specifically, in reference to dependent claim 62, none of the prior art either alone or in combination disclose or teach of the claimed optical communication system specifically including, as the distinguishing feature(s) in combination with the other limitations the claimed "optical communication system comprising a transmitting station comprising: an optical transmitter device wherein said optical transmitter device comprises an optical source for providing an optical light beam at a predetermined wavelength and an optical modulator according to claim 39, associated with the optical source to modulate the intensity of the optical light beam; an electro-optical converter; and an optical communication line having a first end coupled to the transmitting station, the optical modulator and the electro-optical converter
- 13. Specifically, in reference to dependent claim 73, none of the prior art either alone or in combination disclose or teach of the claimed method for modulating the intensity of a light beam specifically including, as the distinguishing feature(s) in combination with the other limitations

comprising a unit adapted to convert an input optical light beam into a corresponding electrical

the claimed "peak to peak amplitude of the first modulation voltage is different from the peak to peak amplitude of the second modulation voltage."

14. Specifically, in reference to dependent claim 74, none of the prior art either alone or in combination disclose or teach of the claimed method for modulating the intensity of a light beam specifically including, as the distinguishing feature(s) in combination with the other limitations the claimed "first and second bias voltage and the first and second modulation voltage are such as to induce through the Franz-Keldysh effect an overall phase shift in the two optical paths which is different in absolute value and sign, when passing from the 1 logic state to the 0 logic state, and vice versa."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAWAYNE A. PINKNEY whose telephone number is (571) 270-1305. The examiner can normally be reached on Monday-Thurs. 8 a.m.- 4:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky Mack can be reached on (571) 272-2333. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2873

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/DaWayne A Pinkney/ Examiner, Art Unit 2873 10/05/2010